



Weasler®

AFTERMARKET REPLACEMENT DRIVELINES

BUSH HOG
DEERE
RHINO
KING KUTTER
CASE IH
KMC
VERMEER
CNH
NEW HOLLAND
SCHULTE
GEHL
LANDPRIDE
SHAVER
HESSTON
SPEECO
AGCO
WALLACE
KINZE
WOODS
HOWSE
BUSH WHACKER
MTD
AMADAS
TONUTTI
ALLOWAY
SITREX

...and **MANY MORE**



- ALL PURPOSE DRIVELINES•
- BEET HARVESTERS•
- CATFISH POND DRIVELINES•
- COMBINE HEADERS•
- DISC MOWERS•
- FERTILIZER SPREADERS•
- FINISHING MOWERS•
- FLEX WING MOWERS•
- HAMMER MILLS•
- HAY TEDDERS•
- PEANUT HARVESTERS•
- POST HOLE DIGGERS•
- ROUND BALERS•
- ROTARY CUTTERS•
- SNOWBLOWERS•
- TILLERS•

Higher Value • Smarter Solutions

AFTERMARKET REPLACEMENT DRIVELINES

Providing Better Solutions...



- **LONGER LIFE:** Hardened Spline Shafting
- **PATENTED:** Easy Lock Guarding
- **E-KITS:** More durability and longer grease intervals
- **EQUAL ARM CV:** Compact design - easier to handle
- **NO MODIFICATION:** Ready to run
 - No need to cut-to-length (unlike other Aftermarket options)
 - Design optimizes compressed and extended lengths
- **MULTIPLE MODELS:** 3 drivelines cover 5 brands and 7 models
- **REDUCED INVENTORY:** Covers a variety of machines

CASE IH

CNH

HESSTON

MASSEY

NEW IDEA

DIRECT REPLACEMENT DOUBLE CV DRIVELINES

STOCK #	INTERCHANGES WITH	MODEL NO.
14656849	1 3/8" - 21 Spl. x 1 1/2" Rd. w- 3/8" K-Way	
	AGCO HESSTON	1340, 1345
	CASE IH	8312
	MASSEY FERGUSON	PTD 12
	NEW IDEA	5512
14656853	1 3/8" - 21 Sp. x 1 1/2" - 23 Spl.	
	CASE IH	DC132
	CNH	1431
14756853	1 3/4" - 20 Spl. x 1 1/2" - 23 Spl.	
	CASE IH	DC132
	CNH	1431

* DRIVELINE TRACTOR CV HALF ASSEMBLY

STOCK #	INTERCHANGES WITH	MODEL NO.
83-14656849	1 3/8" - 21 Spl	
	AGCO HESSTON	1340, 1345
	CASE IH	8312
	MASSEY FERGUSON	PTD12
	NEW IDEA	5512
83-14656853	1 3/8" - 21 Spl	
	CASE IH	DC132
	CNH	1431
83-14756853	1 3/4" - 20 Spl	
	CASE IH	DC132
	CNH	1431


* DRIVELINE MACHINE CV HALF ASSEMBLY

82-14656849	1 1/2" Round with 3/8" K-way	
	AGCO HESSTON	1340, 1345
	CASE IH	8312
	MASSEY FERGUSON	PTD12
	NEW IDEA	5512
82-14656853	1 1/2" - 23 Spl.	
	CASE IH	DC132
	CNH	1431


*Complete shield is provided when ordering half drivelines



CONSTANT VELOCITY DRIVELINES



NORTH AMERICAN



METRIC



• FLEX WING MOWERS •

Interchange with:

• **BUSH HOG®** Model No.: 2415, 2515, 2615, 2720 & 3615

ALSO FITS OTHER
COMPETITIVE MODELS

COMPLETE DRIVELINE ASSEMBLY

STOCK #	TRACTOR YOKE	CLAMP YOKE	CATEGORY	STOCK #	TRACTOR YOKE	CLAMP YOKE	CATEGORY
14566855	1 3/8" x 6 Spl.	1 3/4" x 20 Spl.	6	14516855	1 3/8" x 6 Spl.	1 3/4" x 20 Spl.	6
14666855	1 3/8" x 21 Spl.	1 3/4" x 20 Spl.	6	14616855	1 3/8" x 21 Spl.	1 3/4" x 20 Spl.	6
14766855	1 3/4" x 20 Spl.	1 3/4" x 20 Spl.	6	14716855	1 3/4" x 20 Spl.	1 3/4" x 20 Spl.	6

(OVERALL COMPRESSED LENGTH - 55")

DRIVELINE TRACTOR HALF ASSEMBLY



STOCK #	TRACTOR YOKE	CATEGORY	STOCK #	TRACTOR YOKE	CATEGORY
93-14556855	1 3/8" x 6 Spl.	6	93-14516855	1 3/8" x 6 Spl.	6
93-14656855	1 3/8" x 21 Spl.	6	93-14616855	1 3/8" x 21 Spl.	6
93-14756855	1 3/4" x 20 Spl.	6	93-14716855	1 3/4" x 20 Spl.	6

DRIVELINE MACHINE HALF ASSEMBLY

STOCK #	MACHINE (CLAMP) YOKE	CATEGORY	STOCK #	MACHINE (CLAMP) YOKE	CATEGORY
92-14515555	1 3/4" x 20 Spl.	6	92-14516855	1 3/4" x 20 Spl.	6

AFTERMARKET REPLACEMENT DRIVELINES

CONSTANT VELOCITY DRIVELINES *...continued*



• FLEX WING MOWERS •

Interchange with:

• **RHINO[®] Model No.: SR-15, SE-15**

ALSO FITS OTHER
COMPETITIVE MODELS

COMPLETE DRIVELINE ASSEMBLY

STOCK #	TRACTOR YOKE	CLAMP YOKE	CATEGORY
14556851	1 3/8" x 6 Spl.	1 3/4" x 20 Spl.	6
14656851	1 3/8" x 21 Spl.	1 3/4" x 20 Spl.	6
14756851	1 3/4" x 20 Spl.	1 3/4" x 20 Spl.	6

STOCK #	TRACTOR YOKE	CLAMP YOKE	CATEGORY
14506851	1 3/8" x 6 Spl.	1 3/4" x 20 Spl.	6
14606851	1 3/8" x 21 Spl.	1 3/4" x 20 Spl.	6
14706851	1 3/4" x 20 Spl.	1 3/4" x 20 Spl.	6

(OVERALL COMPRESSED LENGTH - 51")

DRIVELINE TRACTOR HALF ASSEMBLY

STOCK #	TRACTOR YOKE	CATEGORY
19556800	1 3/8" x 6 Spl.	6
19656800	1 3/8" x 21 Spl.	6
19756800	1 3/4" x 20 Spl.	6

STOCK #	TRACTOR YOKE	CATEGORY
93-14506851	1 3/8" x 6 Spl.	6
93-14606851	1 3/8" x 21 Spl.	6
93-14706851	1 3/4" x 20 Spl.	6


DRIVELINE MACHINE HALF ASSEMBLY

STOCK #	MACHINE (CLAMP) YOKE	CATEGORY
92-14505551	1 3/4" x 20 Spl.	6


STOCK #	MACHINE (CLAMP) YOKE	CATEGORY
92-14506851	1 3/4" x 20 Spl.	6



CONSTANT VELOCITY DRIVELINES *...continued*



NORTH AMERICAN



METRIC



• FLEX WING MOWERS •

Interchange with:

• DEERE® Model No.: 1517, 1518, 2018 *ALSO FITS OTHER COMPETITIVE MODELS*

COMPLETE DRIVELINE ASSEMBLY

STOCK#	TRACTOR YOKE	CLAMP YOKE	CATEGORY	STOCK #	TRACTOR YOKE	CLAMP YOKE	CATEGORY
14566855	1 3/8" x 6 Spl.	1 3/4" x 20 Spl.	6	14516855	1 3/8" x 6 Spl.	1 3/4" x 20 Spl.	6
14666855	1 3/8" x 21 Spl.	1 3/4" x 20 Spl.	6	14616855	1 3/8" x 21 Spl.	1 3/4" x 20 Spl.	6
14766855	1 3/4" x 20 Spl.	1 3/4" x 20 Spl.	6	14716855	1 3/4" x 20 Spl.	1 3/4" x 20 Spl.	6

(OVERALL COMPRESSED LENGTH - 55")

DRIVELINE TRACTOR HALF ASSEMBLY

STOCK#	TRACTOR YOKE	CATEGORY	STOCK #	TRACTOR YOKE	CATEGORY
93-14556855	1 3/8" x 6 Spl.	6	93-14516855	1 3/8" x 6 Spl.	6
93-14656855	1 3/8" x 21 Spl.	6	93-14616855	1 3/8" x 21 Spl.	6
93-14756855	1 3/4" x 20 Spl.	6	93-14716855	1 3/4" x 20 Spl.	6

DRIVELINE MACHINE HALF ASSEMBLY

STOCK#	MACHINE (CLAMP) YOKE	CATEGORY	STOCK #	MACHINE (CLAMP) YOKE	CATEGORY
92-14515555	1 3/4" x 20 Spl.	6	92-14516855	1 3/4" x 20 Spl.	6

AFTERMARKET REPLACEMENT DRIVELINES

MACHINE SPECIFIC SHAFTS



Metric


Also **NEW** - High Performance Friction Clutch specially developed for demanding field conditions for wing drives on flex wing and multiple disc mowers

STOCK NO.	USED ON DRIVELINE
566-8620	14106656
566-8620	14106664
566-8621	14116664
566-8606	14126664

STOCK NO.	DESCRIPTION
98715000	Spring
970-1700	Disc



REPLACEMENT FRICTION CLUTCH




*For Inner Profile Tube Replacement Order Stock No. 400-6745 45.0mm(5.4 Wall) mm

Interchanges with Bondioli & Pavese

STOCK #	SERIES	DESCRIPTION	TORQUE RATING	COMP. OAL	APPLICATION
*14106656	ByPy 6	1-3/4" x 20 Clamp x 1-3/4" x 20 Clamp Fric.Cl.	15,000 in•lbs	56.11"	<ul style="list-style-type: none"> M & W- A415, AGI 15 ft. Flexwing Rhino - FR15,SR15 15 ft. Rotary Cutter Landpride - RC5515,RC6515 15 ft. Mower Woods - BW180 Flexwing
*14106664	ByPy 6	1-3/4" x 20 Clamp x 1-3/4" x 20 Clamp Fric.Cl.	15,000 in•lbs	64.11"	<ul style="list-style-type: none"> Schulte - XH1500 Flexwing Bush Hog - 2515, 2720 Flexwing Deere - HX15 Kodiak - Ol' Grizz 15 ft
*14116664	ByPy 6	1-3/8" x 21 Clamp x 1-3/8" x 21 Clamp Fric.Cl.	15,000 in•lbs	64.11"	<ul style="list-style-type: none"> Schulte - FX26 Deere - 1518, 2018
*14126664	ByPy 6	1-3/4" x 20 Clamp x 1-3/8" x 6 Clamp Fric.Cl.	15,000 in•lbs	64.11"	<ul style="list-style-type: none"> Bush-Whacker - T-180

ALL PURPOSE SHAFTS



- Check outboard yokes for correct hook-up
- Verify overall compressed length
- Utilizes standard open spring friction clutch

REPLACEMENT SPRING FRICTION CLUTCH

STOCK NO.	USED ON DRIVELINE
560-8620	14106660
560-8620	14106661
560-8621	14116660

STOCK NO.	DESCRIPTION
970-4160	Disc

Interchanges with Bondioli & Pavese

STOCK #	SERIES	DESCRIPTION	TORQUE RATING	COMP. OAL	APPLICATION
14106660	ByPy 6	1-3/8" x 6 Q.D. x 1-3/4" x 20 Clamp Fric.Cl.	13,200 in•lbs	61.15"	• Bush Hog - Various Models
14106661	ByPy 6	1-3/4" x 20 Q.D. x 1-3/4" x 20 Clamp Fric.Cl.	13,200 in•lbs	63.18"	• Bush Hog - Various Models
14116660	ByPy 6	1-3/8" x 6 Q.D. x 1-3/8" x 21 Clamp Fric.Cl.	13,200 in•lbs	61.15"	• Bush Hog - Various Models

NOTE: Replacement shafts may differ slightly from original equipment shafts

15,000 in•lbs = 1700 Nm & 13,200 in•lb = 1500 Nm



Weasler®

MACHINE SPECIFIC SHAFTS



North American

Also **NEW** - High Performance Friction Clutch specially developed for demanding field conditions for wing drives on flex wing and multiple disc mowers

STOCK NO.	USED ON DRIVELINE
566-4420	14104456
566-4420	14104464
566-4421	14114464
566-4406	14124464
FRICTION CLUTCH REPLACEMENT PARTS:	
STOCK NO.	DESCRIPTION
98715000	Spring
970-1700	Disc



REPLACEMENT FRICTION CLUTCH




SCHULTE



WOODS



JOHN DEERE



BUSH HOG



RHINO / M & W



KODIAK



LAND PRIDE



BUSH-WHACKER

NOTE: Replacement shafts may differ slightly from original equipment shafts

STOCK #	SERIES	DESCRIPTION	TORQUE RATING	COMP. OAL	APPLICATION
14104456	44	1-3/4" x 20 Clamp x 1-3/4" x 20 Clamp Fric.Cl.	15,000 in•lbs	56.11"	<ul style="list-style-type: none"> • M & W- A415, AGI 15 ft. Flexwing • Rhino - FR15,SR15 15 ft. Rotary Cutter • Landpride - RC5515,RC6515 15 ft. Mower • Woods - BW180 Flexwing
14104464	44	1-3/4" x 20 Clamp x 1-3/4" x 20 Clamp Fric.Cl.	15,000 in•lbs	64.11"	<ul style="list-style-type: none"> • Schulte - XH1500 Flexwing • Bush Hog - 2515, 2720 Flexwing • Deere - HX15 • Kodiak - Ol' Grizz 15 ft
14114464	44	1-3/8" x 21 Clamp x 1-3/8" x 21 Clamp Fric.Cl.	15,000 in•lbs	64.11"	<ul style="list-style-type: none"> • Schulte - FX26 • Deere - 1518, 2018
14124464	44	1-3/4" x 20 Clamp x 1-3/8" x 6 Clamp Fric.Cl.	15,000 in•lbs	64.11"	<ul style="list-style-type: none"> • Bush-Whacker - T-180

15,000 in•lbs = 1700 Nm

ALSO AVAILABLE: NORTH AMERICAN AND METRIC 80° CV PRIMARY DRIVELINES FOR FLEXWING CUTTERS

80° CV DRIVELINES



Contact your Weasler representative for additional information

"READY-TO-GO" ROUND BALER CV REPLACEMENTS...

Genuine Weasler

- choice of the OEM's
- leading provider to the Aftermarket!



• CV TRACTOR TUBE HALF ASSEMBLY •

Interchanges with:

1-3/8"x 6 Spline Tractor Yoke - 540 RPM


Part #: 92-14558659:

DEERE® MODELS: 447, 449, 457, 458, 467, 468, 547, 557, 558, 559, 567, 568

1-3/8"x 21 Spline Tractor Yoke - 1000 RPM


Part #: 92-14658659:

DEERE® MODELS: 447, 457, 468, 547, 557, 568,



CAT 4
Fits 1 5/16"
Spline Shaft

CAT 5
Fits 1 11/16"
Spline Shaft



Interchanges with:

1-3/8"x 6 Spline Tractor Yoke - 540 RPM

Part #: 92-14503559:

DEERE® MODELS: 447, 457, 467, 547, 557, 567

1-3/8"x 21 Spline Tractor Yoke - 1000 RPM

Part #: 92-14603559:

DEERE® MODELS: 467, 468, 567, 568


NOTE: Certain models (highlighted above) were originally equipped to accept either the large (1-11/16") spline or the smaller (1-5/16") spline. Please verify correct spline configuration before ordering.



CONSTANT VELOCITY DRIVELINES...continued



•ROUND BALERS•



NORTH AMERICAN


Interchange with:

• **DEERE®** Model No.: 466, 467, 566 & 567

COMPLETE DRIVELINE ASSEMBLY


STOCK #	MODEL #	TRACTOR YOKE	CLUTCH YOKE	FRICTION CLUTCH	CATEGORY	RPM
14503500	466 / 467	1 3/8" x 6 Spl.	1 3/8" x 6 Spl.	18,000 in•lb (9")	5/35R	540
14603500	566 / 567	1 3/8" x 21 Spl.	1 3/8" x 6 Spl.	10,000 in•lb (9")	5/35R	1000

(OVERALL COMPRESSED LENGTH - 58")



DRIVELINE TRACTOR SHAFT HALF ASSEMBLY

STOCK#	TRACTOR YOKE	SHAFT HALF	CATEGORY
19503506	1 3/8" x 6 Spl.	1 11/16" x 20 Spl.	5/35R
19603521	1 3/8" x 21 Spl.	1 11/16" x 20 Spl.	5/35R



DRIVELINE TRACTOR TUBE HALF ASSEMBLY

STOCK#	TRACTOR YOKE	TUBE HALF	CATEGORY
92-14503559	1 3/8" x 6 Spl.	2 1/2" O.D.	5/35R
92-14603559	1 3/8" x 21 Spl.	2 1/2" O.D.	5/35R

NOTE: The above two part numbers are provided with CV, tube and slip sleeve assembled. C.V. TUBE HALF to connect to TRACTOR PTO.

• **GEHL DELUXE** Model No.: 2880

COMPLETE DRIVELINE ASSEMBLY

STOCK #	TRACTOR YOKE	CLUTCH YOKE	FRICTION CLUTCH	SERIES
14503501	1 3/8" x 6 Spl.	1 3/8" x 21 Spl.	15,000 in•lb (7")	5/35R

(OVERALL COMPRESSED LENGTH - 67")


DRIVELINE TRACTOR HALF ASSEMBLY

STOCK#	TRACTOR YOKE	SERIES
19503506	1 3/8" x 6 Spl.	5/35R

CONSTANT VELOCITY DRIVELINES...continued



•ROUND BALERS•



NORTH AMERICAN

Interchange with:

- VERMEER Model No.: 604K •
- CASE Model No.: 8455S & 8455T •
- HESSTON Model No.: 555S & 555T •

COMPLETE DRIVELINE ASSEMBLY

STOCK #	TRACTOR YOKE	CLUTCH YOKE	FRICTION CLUTCH	CATEGORY	RPM
14503502	1 3/8" x 6 Spl.	1 3/8" x 6 Spl.	15,000 in•lb (7")	5/35R	540
14603502	1 3/8" x 21 Spl.	1 3/8" x 6 Spl.	15,000 in•lb (7")	5/35R	1000


(OVERALL COMPRESSED LENGTH - 58")

DRIVELINE TRACTOR HALF ASSEMBLY

STOCK#	TRACTOR YOKE	CATEGORY
19503506	1 3/8" x 6 Spl.	5/35R
19603521	1 3/8" x 21 Spl.	5/35R



•BEET HARVESTERS•



METRIC

• LENGTH MAY NEED TO BE MODIFIED TO FIT SPECIFIC MODELS

COMPLETE DRIVELINE ASSEMBLY


STOCK #	TRACTOR YOKE	MACHINE YOKE	OAL COMPRESSED	CATEGORY
14606862	1 3/8" x 21 Spl. SSL	1 3/4" Rd. w/Keyway	62.4"	6
14706862	1 3/4" x 20 Spl. SSL	1 3/4" Rd. w/Keyway	62.4"	6

(OVERALL COMPRESSED LENGTH - 62.4")



CONSTANT VELOCITY DRIVELINES...continued

•PEANUT HARVESTERS•



METRIC



KMC MODEL No.:
33, 3350, 3355, 3360



AMADAS MODEL No.:
9097, 9297, 9597, 9797, 9897, 9897T,
9997A, 9997B, 9997E, 9997T,
M2100D/M9997T, M2100A/M9997A

COMPLETE DRIVELINE ASSEMBLY

STOCK #	TRACTOR YOKE	IMPLEMENT YOKE	CATEGORY
14626855	1 3/8" x 21 Spl.	1 3/8" x 21 Spl. Clamp	6
14636855	1 3/8" x 21 Spl.	1 3/8" x 21 Spl. w/Pinhole	6
14726855	1 3/4" x 20 Spl.	1 3/8" x 21 Spl. Clamp	6
14736855	1 3/4" x 20 Spl.	1 3/8" x 21 Spl. w/Pinhole	6

(OVERALL COMPRESSED LENGTH - 55")

DRIVELINE TRACTOR HALF ASSEMBLY

STOCK#	TRACTOR YOKE	CATEGORY
93-14616855	1 3/8" x 21 Spl.	6
93-14716855	1 3/4" x 20 Spl.	6

DRIVELINE MACHINE HALF ASSEMBLY

STOCK #	MACHINE YOKE	CATEGORY
92-14626855	1 3/8" x 21 Clamp	6
92-14636855	1 3/8" x 21 Spl. w/Pinhole	6

COMPLETE DRIVELINE ASSEMBLY (NON-CV)

STOCK #	TRACTOR YOKE	IMPLEMENT YOKE	OAL COMPRESSED	SERIES
14007955	1 3/4" x 20 Spl. QD	1 3/8" x 21 Spl. w/Pinhole	55"	W/S 2500


(Star Tubing)

AFTERMARKET REPLACEMENT DRIVELINES

METRIC DRIVELINES

Interchange with Bondioli & Pavesi and Walterscheid

•COMBINE HEADERS•



- LENGTH MAY NEED TO BE MODIFIED TO FIT SPECIFIC HEADERS


- CHAINS INCLUDED

STOCK #	COMBINE YOKE	HEADER YOKE	OAL COMPRESSED	DESCRIPTION	SERIES
14007631	1 3/8" x 21 Spl.	1 1/8" Hex Clamp	31"	Deere Headers using (1) Driveline per Header	W/S 2400
14007633	1 1/8" Hex SSL	1 1/8" Hex Clamp	33"	Case IH Combine using Deere Header	W/S 2400
14007635	1 3/8" x 21 Spl.	1 1/8" Hex Clamp	35"	Deere Headers using (2) Drivelines per Header	W/S 2400

NORTH AMERICAN DRIVELINE OPTION

14013531	1 3/8" x 21 Spl.	1 1/8" Hex Clamp	31"	90, 900 & 600 Series Platforms	35R
14013533	1 3/8" x 21 Spl.	1 1/8" Hex Clamp	33"	Belt Pick-Up Platforms	35R

•SNOWBLOWERS•



STOCK #	TRACTOR YOKE	IMPLEMENT CLAMP SHEAR BOLT YOKE	OAL COMPRESSED	SHEAR VALUE	SERIES
14406231	1 3/8" x 6 Spl. SSL	1" Rd. w/Keyway	31"	8,000 in-lbs	ByPy 2
14406428	1 3/8" x 6 Spl. SSL	1 1/4" Rd. w/Keyway	28"	16,400 in-lbs	ByPy 4
14406632	1 3/8" x 6 Spl. SSL	1 1/2" Rd. w/Keyway	32"	18,600 in-lbs	ByPy 6
14406639	1 3/8" x 6 Spl. SSL	1 3/8" x 6 Spl.	39"	16,400 in-lbs	ByPy 6
14406832	1 3/8" x 6 Spl. SSL	1 1/2" Rd. w/Keyway	32"	22,000 in-lbs	ByPy 8



METRIC DRIVELINES...continued

Interchange with Bondioli & Pavesi and Walterscheid

•ALL PURPOSE•

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>IMPLEMENT YOKE</u>	<u>OAL COMPRESSED</u>	<u>SERIES</u>
14006137	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	37"	BYPY 1
14006247	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	47"	BYPY 2
14006438	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	38"	BYPY 4
14006448	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	48"	BYPY 4
14006455	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	55"	BYPY 4
14006543	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	43"	BYPY 5
14006555	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	55"	BYPY 5
14006642	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	42"	BYPY 6
14006644	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	44"	BYPY 6
14006655	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	55"	BYPY 6
14006657	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	57"	BYPY 6
14006846	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	46"	BYPY 8
14006857	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	57"	BYPY 8
14016542	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	42"	BYPY 5
14016666	1 3/8" x 21 Spl. QD	1 3/8" Rd. w/Pinhole	66"	BYPY 6
14066644	1 3/8" x 21 Spl. QD	1 3/8" x 21 Spl. QD	44"	BYPY 6
14066846	1 3/8" x 21 Spl. QD	1 3/8" x 21 Spl. QD	46"	BYPY 8
14107155	1 3/8" x 6 Spl. QD	30-mm Friction Clutch	55"	W/S 2100

•CATFISH POND DRIVELINE•

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>IMPLEMENT YOKE</u>	<u>OAL COMPRESSED</u>	<u>SERIES</u>
14006424	1 3/8" x 6 Spl. QD	1 1/2" Rd.	48"	BYPY 4
14006524	1 3/8" x 6 Spl. QD	1 1/2" Rd.	48"	BYPY 5
14006624	1 3/8" x 6 Spl. QD	1 1/2" Rd.	48"	BYPY 6
14016524	1 3/8" x 21 Spl. QD	1 1/2" Rd.	48"	BYPY 5
14016624	1 3/8" x 21 Spl. QD	1 1/2" Rd.	48"	BYPY 6

•DISC MOWER•

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>IMPLEMENT YOKE</u>	<u>OAL COMPRESSED</u>	<u>SERIES</u>
14306538	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. w/Overrunning Clutch	38"	BYPY 5
14306639	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. w/Overrunning Clutch	39"	BYPY 6
14307645	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. w/Overrunning Clutch	45"	W/S 2400

AFTERMARKET REPLACEMENT DRIVELINES

METRIC DRIVELINES...continued

Interchange with Bondioli & Pavesi and Walterscheid

•FERTILIZER SPREADER•

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>IMPLEMENT YOKE</u>	<u>OAL COMPRESSED</u>	<u>SERIES</u>
14006127	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	27"	BYPY 1
14006135	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	35"	BYPY 1

•FINISHING MOWER•

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>IMPLEMENT YOKE</u>	<u>OAL COMPRESSED</u>	<u>SERIES</u>
14006340	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	40"	BYPY 3
14006446	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	46"	BYPY 4
14006637	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	37"	BYPY 6

•HAMMER MILL•

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>IMPLEMENT YOKE</u>	<u>OAL COMPRESSED</u>	<u>SERIES</u>
14006628	1 3/8" x 6 Spl. QD	1 3/4" Rd.	48"	BYPY 6
14006748	1 3/8" x 6 Spl. QD	1 3/4" Rd.	48"	BYPY 7

•HAY TEDDER•

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>IMPLEMENT YOKE</u>	<u>OAL COMPRESSED</u>	<u>TYPE</u>	<u>SERIES</u>
14206252*	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. w/Ratchet Clutch	52"	2-Rotor	BYPY 2
14206454**	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. w/Ratchet Clutch	54"	4-Rotor	BYPY 4

*Light Duty **Heavy Duty

•PEANUT HARVESTER (NON-CV)•

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>IMPLEMENT YOKE</u>	<u>OAL COMPRESSED</u>	<u>SERIES</u>
14007955 (Star Tubing)	1 3/4" x 20 Spl. QD	1 3/8" x 21 Spl. w/Pinhole	55"	W/S 2500



METRIC DRIVELINES...continued

Interchange with Bondioli & Pavesi and Walterscheid

•POST HOLE DIGGER•

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>IMPLEMENT YOKE</u>	<u>OAL COMPRESSED</u>	<u>SERIES</u>
14006252	1 3/8" x 6 Spl. QD	1 1/4" Rd. w/Pinhole	52"	BYPY 2 (Light Duty)
14006453	1 3/8" x 6 Spl. QD	1 1/4" Rd. w/Pinhole	53"	BYPY 4 (Heavy Duty)

•ROTARY CUTTER•

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>IMPLEMENT YOKE</u>	<u>OAL COMPRESSED</u>	<u>APPLICATION</u>	<u>SERIES</u>
14006251	1 3/8" x 6 Spl. QD	1 3/8" Rd. w/Pinhole	51"	Pull (Towed)	BYPY 2
14006432	1 3/8" x 6 Spl. QD	1 3/8" Rd. w/Pinhole	32"	4 ft. Lift (3-Pt.Hitch)	BYPY 4
14006436	1 3/8" x 6 Spl. QD	1 3/8" Rd. w/Pinhole	36"	5 ft. Lift (3-Pt.Hitch)	BYPY 4
14006442	1 3/8" x 6 Spl. QD	1 3/8" Rd. w/Pinhole	42"	6 ft. Lift (3-Pt.Hitch)	BYPY 4
14006451	1 3/8" x 6 Spl. QD	1 3/8" Rd. w/Pinhole	51"	Pull (Towed)	BYPY 4
14006542	1 3/8" x 6 Spl. QD	1 3/8" Rd. w/Pinhole	42"	6 ft. Lift (3-Pt.Hitch)	BYPY 5
14006546	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. QD	46"	6 ft. Lift (3-Pt.Hitch)	BYPY 5
14006551	1 3/8" x 6 Spl. QD	1 3/8" Rd. w/Pinhole	51"	6 ft. Lift (3-Pt.Hitch)	BYPY 5
14006652	1 3/8" x 6 Spl. QD	1 3/8" Rd. w/Pinhole	52"	7 ft. Lift (3-Pt.Hitch)	BYPY 6

•ROTARY CUTTER/TILLER•

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>IMPLEMENT CLAMP YOKE</u>	<u>OAL COMPRESSED</u>	<u>APPLICATION</u>	<u>SERIES</u>
14106233	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. w/Fric. Clutch	33"	Pull (Towed)	BYPY 2
14106436	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. w/Fric. Clutch	36"	Pull (Towed)	BYPY 4
14106438	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. w/Fric. Clutch	38"	Pull (Towed)	BYPY 4
14106546	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. w/Fric. Clutch	46"	Pull (Towed)	BYPY 5
14106654	1 3/8" x 6 Spl. QD	1 3/8" x 6 Spl. w/Fric. Clutch	54"	7 ft. Lift (3-Pt.Hitch)	BYPY 6
14106660	1 3/8" x 6 Spl. QD	1 3/4" x 20 Spl. w/Fric. Clutch	60"	7 ft. Lift (3-Pt.Hitch)	BYPY 6
14106661	1 3/4" x 20 Spl. QD	1 3/4" x 20 Spl. w/Fric. Clutch	61"	7 ft. Lift (3-Pt.Hitch)	BYPY 6

AFTERMARKET REPLACEMENT DRIVELINES

NORTH AMERICAN DRIVELINES

•ALL PURPOSE•

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>IMPLEMENT YOKE</u>	<u>OAL COMPRESSED</u>	<u>SERIES</u>
14000605	1 3/8" x 6 Spl. Spring Lok	1" Rd. w/Pinhole	32"	6R
14000638	1 3/8" x 6 Spl. QD	1" Rd. w/Pinhole	38"	6R
14003536	1 3/8" x 6 Spl. SSL	1 3/8" x 6 Spl. SSL	36"	35R
14005537	1 3/8" x 6 Spl. SSL	1 3/8" x 6 Spl. SSL	37"	55R
14005546	1 3/4" x 20 Spl. SSL	1 3/4" Rd. w/Keyway & 2 Set Screws	46"	55R

•AUGER•

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>IMPLEMENT YOKE</u>	<u>OAL COMPRESSED</u>	<u>SERIES</u>
14000616	1 3/8" x 6 Spl. Spring Lok	1" Rd. w/Keyway	48"	6R
14001220	1 3/8" x 6 Spl. Spring Lok	1 1/4" Rd. w/Keyway	48"	12R
14001420	1 3/8" x 6 Spl. Spring Lok	1 1/4" Rd. w/Keyway	48"	14R

•CATFISH POND DRIVELINE•

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>IMPLEMENT YOKE</u>	<u>OAL COMPRESSED</u>	<u>SERIES</u>
14003524	1 3/8" x 6 Spl. QD	1 1/2" Rd. w/Keyway	48"	35R
14004424	1 3/8" x 6 Spl. QD	1 1/2" Rd. w/Keyway	48"	44R

•FERTILIZER SPREADER•

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>IMPLEMENT YOKE</u>	<u>OAL COMPRESSED</u>	<u>SERIES</u>
14000620	1 3/8" x 6 Spl. Spring Lok	1 3/8" x 6 Spl. Spring Lok	27"	6R

•FINISHING MOWER•

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>IMPLEMENT YOKE</u>	<u>OAL COMPRESSED</u>	<u>SERIES</u>
14000600	1 3/8" x 6 Spl. Spring Lok	1" Rd. w/Pinhole	39"	6R

•POSTHOLE DIGGER•

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>IMPLEMENT YOKE</u>	<u>OAL COMPRESSED</u>	<u>SERIES</u>
14001200	1 3/8" x 6 Spl. QD	1 1/4" Rd. w/Keyway	48"	12R

•ROTARY CUTTER•

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>IMPLEMENT YOKE</u>	<u>APPLICATION</u>	<u>OAL COMPRESSED</u>	<u>SERIES</u>
14001404	1 3/8" x 6 Spl. Spring Lok	1 3/8" Rd. w/Pinhole	4 Ft. Lift-type	30"	14R
14001405	1 3/8" x 6 Spl. Spring Lok	1 3/8" Rd. w/Pinhole	5 Ft. Lift-type	37"	14R
14001406	1 3/8" x 6 Spl. Spring Lok	1 3/8" Rd. w/Pinhole	5 Ft. & 6 Ft. Pull-type	56"	14R
14003507	1 3/8" x 6 Spl. Spring Lok	1 3/8" Rd. w/Pinhole	7 Ft. Pull-type	65"	35R



CONSTANT VELOCITY - NORTH AMERICAN

ORDER IMPLEMENT YOKE AND CROSS AND BEARING KIT SEPARATELY AS REQUIRED

• 80° CV CATEGORY 3 / 14 SERIES •

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>OAL COMPRESSED</u>	<u>MAX. EXTENDED OPERATING LENGTH</u>	<u>SHAFT SIZE</u>
14553848	1 3/8" x 6 Spl. SSL	48"	67"	1" x 1-1/8"
14653848	1 3/8" x 21 Spl. SSL	48"	67"	1" x 1-1/8"

DRIVELINE TRACTOR HALF ASSEMBLY

<u>STOCK#</u>	<u>TRACTOR YOKE</u>	<u>CATEGORY</u>
19553800	1 3/8" x 6 Spl.	3
19653800	1 3/8" x 21 Spl.	3

DRIVELINE MACHINE HALF ASSEMBLY

<u>STOCK #</u>	<u>OVERALL DRIVELINE LENGTH</u>	<u>CATEGORY</u>
17501448	48"	3

• 80° CV CATEGORY 4 •

<u>STOCK #</u>	<u>TRACTOR YOKE</u>	<u>OAL COMPRESSED</u>	<u>MAX. EXTENDED OPERATING LENGTH</u>	<u>SHAFT SIZE</u>
14558648	1 3/8" x 6 Spl. SSL	48"	67"	1 5/16" x 20 Spl.
14558658	1 3/8" x 6 Spl. SSL	58"	77"	1 5/16" x 20 Spl.
14658648	1 3/8" x 21 Spl. SSL	48"	67"	1 5/16" x 20 Spl.
14658658	1 3/8" x 21 Spl. SSL	58"	77"	1 5/16" x 20 Spl.
14758648	1 3/4" x 20 Spl. SSL	48"	67"	1 5/16" x 20 Spl.
14758658	1 3/4" x 20 Spl. SSL	58"	77"	1 5/16" x 20 Spl.

DRIVELINE TRACTOR HALF ASSEMBLY

<u>STOCK#</u>	<u>TRACTOR YOKE</u>	<u>CATEGORY</u>
19558600	1 3/8" x 6 Spl.	4
19658600	1 3/8" x 21 Spl.	4
19758600	1 3/4" x 20 Spl.	4

DRIVELINE MACHINE HALF ASSEMBLY

<u>STOCK #</u>	<u>OVERALL DRIVELINE LENGTH</u>	<u>CATEGORY</u>
17513548	48"	4
17513558	58"	4

AFTERMARKET REPLACEMENT DRIVELINES

CONSTANT VELOCITY - NORTH AMERICAN...continued

ORDER IMPLEMENT YOKE AND CROSS AND BEARING KIT SEPARATELY AS REQUIRED

•80° CV CATEGORY 5 / 35/44 SERIES•

STOCK #	TRACTOR YOKE	OAL COMPRESSED	MAX. EXTENDED OPERATING LENGTH	SHAFT SIZE
14503548	1 3/8" x 6 Spl. SSL	48"	67"	1 11/16" x 20 Spl.
14503558	1 3/8" x 6 Spl. SSL	58"	77"	1 11/16" x 20 Spl.
14503567	1 3/8" x 6 Spl. SSL	67"	84"	1 11/16" x 20 Spl.
14503573	1 3/8" x 6 Spl. SSL	73"	92"	1 11/16" x 20 Spl.
14503579	1 3/8" x 6 Spl. SSL	79"	96"	1 11/16" x 20 Spl.
14504448	1 3/8" x 6 Spl. SSL	48"	67"	1 11/16" x 20 Spl.
14504458	1 3/8" x 6 Spl. SSL	58"	77"	1 11/16" x 20 Spl.
14504467	1 3/8" x 6 Spl. SSL	67"	84"	1 11/16" x 20 Spl.
14504473	1 3/8" x 6 Spl. SSL	73"	92"	1 11/16" x 20 Spl.
14504479	1 3/8" x 6 Spl. SSL	79"	96"	1 11/16" x 20 Spl.
14603548	1 3/8" x 21 Spl. SSL	48"	67"	1 11/16" x 20 Spl.
14603558	1 3/8" x 21 Spl. SSL	58"	77"	1 11/16" x 20 Spl.
14603567	1 3/8" x 21 Spl. SSL	67"	84"	1 11/16" x 20 Spl.
14603573	1 3/8" x 21 Spl. SSL	73"	92"	1 11/16" x 20 Spl.
14603579	1 3/8" x 21 Spl. SSL	79"	96"	1 11/16" x 20 Spl.
14604448	1 3/8" x 21 Spl. SSL	48"	67"	1 11/16" x 20 Spl.
14604458	1 3/8" x 21 Spl. SSL	58"	77"	1 11/16" x 20 Spl.
14604467	1 3/8" x 21 Spl. SSL	67"	84"	1 11/16" x 20 Spl.
14604473	1 3/8" x 21 Spl. SSL	73"	92"	1 11/16" x 20 Spl.
14604479	1 3/8" x 21 Spl. SSL	79"	96"	1 11/16" x 20 Spl.
14703548	1 3/4" x 20 Spl. SSL	48"	67"	1 11/16" x 20 Spl.
14703558	1 3/4" x 20 Spl. SSL	58"	77"	1 11/16" x 20 Spl.
14703567	1 3/4" x 20 Spl. SSL	67"	84"	1 11/16" x 20 Spl.
14703573	1 3/4" x 20 Spl. SSL	73"	92"	1 11/16" x 20 Spl.
14703579	1 3/4" x 20 Spl. SSL	79"	96"	1 11/16" x 20 Spl.
14704448	1 3/4" x 20 Spl. SSL	48"	67"	1 11/16" x 20 Spl.
14704458	1 3/4" x 20 Spl. SSL	58"	77"	1 11/16" x 20 Spl.
14704467	1 3/4" x 20 Spl. SSL	67"	84"	1 11/16" x 20 Spl.
14704473	1 3/4" x 20 Spl. SSL	73"	92"	1 11/16" x 20 Spl.
14704479	1 3/4" x 20 Spl. SSL	79"	96"	1 11/16" x 20 Spl.

DRIVELINE TRACTOR HALF ASSEMBLY

STOCK#	TRACTOR YOKE	CATEGORY
19503506	1 3/8" x 6 Spl.	5/35R
19603521	1 3/8" x 21 Spl.	5/35R
19703520	1 3/4" x 20 Spl.	5/35R

DRIVELINE MACHINE HALF ASSEMBLY

STOCK #	OVERALL DRIVELINE LENGTH	CATEGORY
17503548	48"	5/35R
17503558	58"	5/35R
17503567	67"	5/35R
17503573	73"	5/35R
17503579	79"	5/35R
17504448	48"	5/44R
17504458	58"	5/44R
17504467	67"	5/44R
17504473	73"	5/44R
17504479	79"	5/44R



CONSTANT VELOCITY - NORTH AMERICAN...continued

ORDER IMPLEMENT YOKE AND CROSS AND BEARING KIT SEPARATELY AS REQUIRED

•80° CV CATEGORY 6 / 55 SERIES•

STOCK #	TRACTOR YOKE	OAL COMPRESSED	MAX. EXTENDED OPERATING LENGTH	SHAFT SIZE
14556848	1 3/8" x 6 Spl. SSL	48"	67"	1 11/16" x 20 Spl.
14556858	1 3/8" x 6 Spl. SSL	58"	80"	1 11/16" x 20 Spl.
14556867	1 3/8" x 6 Spl. SSL	67"	84"	1 11/16" x 20 Spl.
14656848	1 3/8" x 21 Spl. SSL	48"	67"	1 11/16" x 20 Spl.
14656858	1 3/8" x 21 Spl. SSL	58"	80"	1 11/16" x 20 Spl.
14656867	1 3/8" x 21 Spl. SSL	67"	84"	1 11/16" x 20 Spl.
14756848	1 3/4" x 20 Spl. SSL	48"	67"	1 11/16" x 20 Spl.
14756858	1 3/4" x 20 Spl. SSL	58"	80"	1 11/16" x 20 Spl.
14756867	1 3/4" x 20 Spl. SSL	67"	84"	1 11/16" x 20 Spl.


DRIVELINE TRACTOR HALF ASSEMBLY

STOCK#	TRACTOR YOKE	CATEGORY
19556800	1 3/8" x 6 Spl.	6
19656800	1 3/8" x 21 Spl.	6
19756800	1 3/4" x 20 Spl.	6

DRIVELINE MACHINE HALF ASSEMBLY

TESTOCK #	OVERALL DRIVELINE LENGTH	CATEGORY
17505548	48"	6
17505558	58"	6
17505567	67"	6
17505573	73"	6
17505579	79"	6

• Higher Value •



**WEASLER...Your driveline
resource for today and tomorrow!**

Weasler is uniquely positioned to provide the most extensive and complete range of driveline products.

- Full Range of North American Series
- European / Metric Series
 - German Series
 - Italian Series
- Constant Velocity Products
- Wide Range of Clutches

• Smarter Solutions •

The eight-digit numbering system used in this Product Guide identifies Weasler Engineering products, is a Weasler Engineering, Inc. trademark, and may not be used for other purposes without the express consent of Weasler Engineering, Inc.

“Weasler[®]” and the Weasler[®] logo are also trademarks of Weasler Engineering, Inc.